Liebherr RBbsc 5250 Prime frigorifero Libera installazione 387 L Nero





Marchio : Liebherr

Codice prodotto: RBBSC 5250_994741751

Nome del prodotto : RBbsc 5250 Prime

Liebherr RBbsc 5250 Prime. Capacità netta frigorifero: 387 L, Classe climatica: SN-T, Emissione acustica: 34 dB. Tipo di display: TFT, Numero di ripiani frigorifero: 6, Numero di cassetti per verdura: 3. Tipo di lampada: LED. Cerniera porta: Destra. Consumo energetico annuo: 107 kWh, Classe efficienza energetica: C. Peso: 78,5 kg. Colore del prodotto: Nero



Design	
Posizionamento dell'apparecchio *	Libera installazione
Colore del prodotto *	Nero
Nome del colore	Black steel
Cerniera porta	Destra
Porte reversibili	✔
Angolo di apertura della porta	115°
Tipo di controllo	Touch
Display incorporato *	✔
Tipo di display	TFT
Numero di ripiani frigorifero *	6
Numero di cassetti per verdura *	3
Balconcini del frigorifero	4
Porta bottiglie	✔
Griglia per lattine	✔
Materiale della scocca	Acciaio inox
Materiale ripiano	Vetro

Prestazione	
Capacità netta frigorifero *	387 L
Classe climatica *	SN-T
Classe emissione rumore *	B
Emissione acustica *	34 dB
Sbrinamento automatico (frigorifero)	✔

Prestazione	
Massima temperatura di funzionamento	43 °C

Zona fresca	
Compartimento zona fresca *	✘

Ergonomia	
Luce interna	✔
Tipo di lampada	LED
Allarme porta aperta *	✔
Piedini regolabili	✔
Lunghezza cavo	2 m

Gestione energetica	
Scala di efficienza energetica	Da A a G
Classe efficienza energetica *	C
Indice di efficienza energetica (EEI)	64
Consumo d'energia	0,293 kWh/24h
Consumo energetico annuo *	107 kWh
Tensione di ingresso AC	220 - 240 V
Frequenza di ingresso AC	50 - 60 Hz
Corrente	1,2 A

Dimensioni e peso	
Profondità senza maniglia	71,9 cm
Larghezza con porta aperta	65,4 cm

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Prestazione	
Sistema di raffreddamento ventilato *	✕
Variabile di temperatura frigo	3 - 9 °C
Funzione Super Cool *	✕
Minima temperatura di funzionamento	10 °C

Dimensioni e peso	
Profondità con porta aperta	122,2 cm
Larghezza *	597 mm
Profondità *	675 mm
Altezza *	1855 mm
Peso	78,5 kg

Dati su imballaggio	
Larghezza imballo	615 mm
Profondità imballo	767 mm
Altezza imballo	1927 mm
Peso dell'imballo	83,3 kg

4016803089698

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date