

Hisense WF7S1247BW lavatrice Caricamento frontale 12 kg 1400 Giri/min Bianco

Marchio : Hisense

Codice prodotto: WF7S1247BW

Nome del prodotto : WF7S1247BW

Hisense WF7S1247BW. Tipo di carica: Caricamento frontale. Capacità cestello: 12 kg, Classe di efficienza della centrifuga: B, Silenziosità (centrifuga): 70 dB, Velocità di centrifuga massima: 1400 Giri/min. Colore del prodotto: Bianco. Larghezza: 595 mm, Profondità: 640 mm, Altezza: 845 mm. Classe efficienza energetica: A



Design		Performance	
Appliance placement *	Freestanding	Anti-Crease function	✓
Loading type *	Front-load	Wi-Fi controlled	✓
Product colour *	White	Ergonomics	
Inverter technology	✓	Child lock *	✓
Built-in display *	✓	Drum Clean	✓
Display type	LCD	Drum interior light	✓
Control type *	Buttons, Rotary, Touch	Adjustable feet	✓
Door hinge *	Left	On/off button	✓
Door opening	Side opening	Brand-specific features	
Door colour	Black	Allergy Care, Auto Dose, ConnectLife, Hygiene Guard, Inverter motor, Pause & Add, PureJet, Quick Wash, Steam	
Drum material	Galvanized	Hisense technologies (clothes care)	
Tub material	Plastic	Power	
Drum type	Raindrop	Energy efficiency scale	A to G
Cord length	1.5 m	Energy efficiency class *	A
Drum volume	76 L	Energy consumption per 100 cycles *	43 kWh
Viewing window	✓	Energy consumption washing per cycle	0.432 kWh
Performance		Water consumption per cycle *	47 L
Rated capacity *	12 kg	Power consumption (standby)	0.49 W
Maximum spin speed *	1400 RPM	Power consumption (off)	0.49 W
Spin-drying class *	B		
Number of washing programs *	20		
Noise emission class *	A		
Noise level (spin) *	70 dB		
Delayed start timer *	✓		

Performance		Power	
Cycle time (max)	239 min	Connected load	1750 W
Washing programs *	Auto, Baby care, Blouse/shirt, Cold, Cotton, Delicate/silk, Eco, Hygiene/anti-allergy, Mix, Pre-wash, Quick, Sport, Steam, Synthetics, Wool	AC input voltage	220 - 240 V
		AC input frequency	50 Hz
		Current	10 A
		Weight & dimensions	
Rinse Plus function	✓	Width	595 mm
Adjustable spin speed	✓	Depth	640 mm
Load balancing system *	✓	Height	845 mm
AquaStop function *	✓	Weight	73 kg
Foam control system *	✓	Packaging data	
Residual moisture	51.3%	Package width	650 mm
Adjustable temperature	✓	Package depth	710 mm
Add garment (pause) function	✓	Package height	890 mm
		Package weight	75.6 kg



6901101827395

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-FEB-2025. Prints or copies of Information are only valid on the printed Publication date