

SAMSUNG

Samsung WW80FG5L32AEET lavatrice Caricamento frontale 8 kg 1200 Giri/min Bianco

Marchio : Samsung

Codice prodotto: WW80FG5L32AEET

Nome del prodotto : WW80FG5L32AEET


WW80FG5L32AEET

Samsung WW80FG5L32AEET. Tipo di carica: Caricamento frontale. Capacità cestello: 8 kg, Classe di efficienza della centrifuga: B, Silenziosità (centrifuga): 72 dB, Velocità di centrifuga massima: 1200 Giri/min. Colore del prodotto: Bianco. Larghezza: 600 mm, Profondità: 470 mm, Altezza: 850 mm. Classe efficienza energetica: A



Design		Ergonomia	
Posizionamento dell'apparecchio *	Libera installazione	Protezione per i bambini *	✓
Tipo di carica *	Caricamento frontale	Autopulizia *	✓
Colore del prodotto *	Bianco	Cassetto per detersivo autopulente	✓
Tecnologia Inverter	✓	Indicatore del tempo rimanente *	✓
Display incorporato *	✓		
Tipo di display	LED		
Tipo di controllo *	Manopola, Touch		
Cerniera porta *	Sinistra		
Apertura della porta	Apertura laterale		
Colore della porta	Nero		
Finestra visuale	✓		
Prestazione		Caratteristiche speciali	
Capacità cestello *	8 kg	Tecnologie Samsung (cura dei vestiti)	AI EcoBubble, Modalità AI Energy, Motore digitale a inverter, Drum Clean+, QuickDrive™, SmartThings, Super Speed
Velocità di centrifuga massima *	1200 Giri/min		
Classe di efficienza della centrifuga *	B		
Classe emissione rumore *	A		
Silenziosità (centrifuga) *	72 dB		
Durata del ciclo (max)	218 min		
Programmi di lavaggio *	A colori, Cotone, Delicati/Seta, Easy care, Eco 40-60°C, Igiene/Allergy Care, Intenso, Mix, Prelavaggio, Quick 15min, Risciacquo & centrifuga, Asciugamano		
		Gestione energetica	
		Scala di efficienza energetica	Da A a G
		Classe efficienza energetica *	A
		Consumo energetico per 100 cicli *	47 kWh
		Consumo di acqua per ciclo *	48 L
		Indice di efficienza energetica (EEI)	52
		Dimensioni e peso	
		Larghezza *	600 mm
		Profondità *	470 mm
		Altezza *	850 mm
		Peso	56 kg
		Profondità con porta aperta	98 cm

Prestazione		Dati su imballaggio	
Funzione di risciaquo	✓	Larghezza imballo	670 mm
Sistema protezione traboccamento acqua *	✓	Profondità imballo	542 mm
Sistema di sicurezza Aquastop *	✓	Altezza imballo	890 mm
Umidità residua	53,9%	Peso dell'imballo	58 kg
Funzione stiratura facile	✓		
Wi-Fi comandato	✓		



8806097907732

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.